


JET TENDER® 21



DIMENSIONS

Length o.a.:	6,24 m.
Beam max.:	2,58 m.
Height max. (with folded console):	1,13 m.
Diameter inflatable tubes (at stern):	0,50 m.
Independent tube's compartments:	No. 6
Seat placements:	No. 12
Passengers capability (C.E. directive):	No. 12
Design category (C.E. directive):	C

STANDARD EQUIPMENT

Engine: **A)** Yanmar Marine diesel engine type *6BY-220* developing 220 HP @ 4.000 rpm, 6L cylinders, 2.993 cc displacement, equipped with common rail direct fuel injection, twin circuit cooling system and stainless steel marinemounts **B)** Yanmar Marine diesel engine type *6BY-260* developing 260 HP @ 4.000 rpm, 6L cylinders, 2.993 cc displacement, equipped with common rail direct fuel injection, twin circuit cooling system and stainless steel marinemounts

Drive: Waterjet unit Castoldi type *Turbodrive 240 H.C.* equipped with AISI 316 L stainless steel impeller, titanium liner on impeller housing (replaceable), integrated gearbox, hydraulic multi-disc disconnecting clutch, movable debris screen grid on water intake, all oil lubricated bearings - Kit for fresh water cooling the engine's raw water circuit.

Matching system: Flexible coupling - Cardan shaft - Shaft protection.

Controls: Sea Star hydraulic steering system with stainless steel steering wheel - Single lever box for engine's throttle control with integrated switch for electric/hydraulic reversing deflector control - Switch for the electric control of the hydraulic disconnecting clutch - Handle for the control of the debris screen grid.

Electrical: Sets of 12 V free maintenance, hermetic batteries with temporary parallel switch - Two main switches - Charge splitter/selector - Navigation lights (flush mounted LED red and green lights + removable pole mounted 360° white light) - Led courtesy deck lights - 12V accessory socket - Electric horn - Automatic electric bilge pumps - All electrical system fitted with fuses and circuit breakers - All sealed electrical connections - Console folding electric system with No. 2 rams.

Dashboard with instruments: Starting key - Engine’s instruments - Watertight switches - Water pressure gauge - Reversing deflector position gauge - Safety engine stop - Fuel level gauge - Engine room’s water detector.

Lifting and towing: No. 4 folding stainless steel lifting eyes - No. 4 pull-up stainless steel cleats - No. 3 towing eyes (1 bow, 2 transom) - Ski tow.

Fuel system: Under-deck crosslinked polyethylene fuel tank, 124 lts capacity with on-deck fill and vent - Fuel shut-off solenoid valve - Racor fuel-water separator filter.

Exhaust system: Stainless steel pipe with integrated muffler with preventer valve.

Seating: Semicircular aft bench for No. 4 passengers - Central bench (on engine hatch) for No. 2 passengers - Central bench for driver and co-driver (on engine hatch) - Semicircular fore bench for No. 4 passengers. *All cushions and backrests in white leather-like upholstery with inspectionable encapsulated soft foam.*

General: Transom platform teak laid with integrated No. 4 steps telescopic stainless steel ladder - Stern hinged door from platform to inner deck - No. 2 moulded boarding steps (port and starboard) teak laid - Pressurized fresh water shower system with under-deck water tank 55 lts with water filler - Stainless steel handrails - Fore and aft semicircular grab rails on benches - Stainless steel boarding handle - Bow rain/spray dodger, recessed in specific compartment - Keel protection (replaceable) - Waterproof console cover - Engine room air intakes - Windscreen with grab rails - Kit for tubes’ emergency repair - Air pump, manual - Fire extinguisher - Manual bilge pump - Pair of paddles - Owner manual - Engine’s hatch (ram assisted lifting) - Engine room’s acoustic and thermal insulation - Storage access under console - Under seats storage lockers.

Standard colours: White *tubes* - light grey, navy blue or black *fender on tube* - white *hull, console, deck, engine hatch* - white *cushions* - white *rain/spray dodger, boat cover*.

Boat is delivered protected by fabric cover and positioned on wooden cradle

OPTIONAL EQUIPMENT

Canvas

- Bimini top transom
- Bimini top transom with weather curtain set (full enclosure, limo kit)
- Boat cover.....

Colours, Writings and Materials

- Custom hull colour
- Custom deck colour.....
- Custom tube colour, single or bi-colour
- Custom upholstery colour
- Custom rain/spray dodger colours.....
- No. 2 writings “**TENDER TO....**” made on Hypalon-Neoprene coated fabric vulcanized on both sides with customized graphics.....
- Upholstery and canvas in Sunbrella fabric with requested colour

Interior

- Aft and/or bow cushioned sections for sunpad layout
- Customized lifting eyes
- Dive tank holder
- Recessed single point lifting eye
- Rod holders.....

Teak

- Teak decking (8 mm, solid).....

Navigation - Electronics - Lights

- Batteries’ charger with A.C. stainless steel power inlet.....
- Compass with light.....
- Depthsounder/Fishfinder Garmin ”ECHO 300 C”.....
- GPS Map/Depthsounder Garmin “521 S”.....
- Inflator/Deflator (portable) 12 V flow rate 1000 l/min.....
- No. 2 fore docking lights.....
- No. 2 transom docking lights (LED).....
- No. 2 underwater transom lights (LED).....
- Portable watertight search light.....
- Stereo package Aquatic AV - AQIP3B including:
 - Radio/iPod/MP3 player (with external socket), completely sealed and watertight
 - Integrated iPod control and interface
 - AM/FM/XM stereo receiver antenna
 - No. 4 watertight speakers.....
- VHF, waterproof, class D, DSC,
with all U.S. and International frequencies ; with aerial.....

Safety

- Anchor, Danforth model, Kg, 7, made of polished stainless steel
with chain 2,00 m long and rope 15,00 m. long.....
- Kit of engine’s spare parts.....
- Kit of waterjet unit’s spare parts.....
- Rescue boat package (to comply with MCA rules) for yachts under 500 GT *.....
- Satellite tender tracking system (internet accessible).....

General

- No. 2 bow/side towing eyes.....
- Portable fridge (with power pack).....

* Portable watertight search light must be ordered too for completing the rescue boat package